

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6112225").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:26
L2	2	("20020124041").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:30
L3	2	("6993576").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:31
L4	2	("6578005").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:55
L5	2	("20020122077").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:55
S1	11919	(remote\$3 with manag\$5) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:11
S2	1564	(remote\$3 with manag\$5 with monitor\$3) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:22
S3	32	(remote\$3 with manag\$5 with monitor\$3 with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:25

EAST Search History

S4	4480	(remote\$3 with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:25
S5	25	(remote\$3 with tasks) and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:29
S6	2	(remote\$3 with assign\$3 with tasks) and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:31
S7	4	(remote\$3 same assign\$3 with tasks) and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:33
S8	0	(remote\$3 and management).ti. and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:41
S9	2	(remote\$3 and management).ab. and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:48
S10	0	(remote adj1 task adj1 manager)and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:49
S11	1	(remote with task adj1 manager)and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:49

EAST Search History

S12	0	(remote with task adj1 manager)and (estimat\$3 near4 resource) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:49
S13	0	(task adj1 manager)and (estimat\$3 near4 resource) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:50
S14	26	task with (estimat\$3 near4 resources) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:52
S15	11	task with (estimat\$3 near4 resources) with time and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:52
S16	793	((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:11
S17	1	(task and manag\$3).ti. and ((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:12
S18	26	(task and manag\$3).ab. and ((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:38
S19	10	(task and manag\$3) with((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:44

EAST Search History

S20	191	(assign\$3 with time with complet\$3 with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:45
S21	145	(assign\$3 with time with complet\$3 near4 tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:45
S22	75	(assign\$3 near4 time with complet\$3 near4 tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:07
S23	12	(assign\$3 near2 complet\$3 near1 time with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:08
S24	12	(assign\$3 near2 complet\$3 near1 time with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:13
S25	32	(estimat\$3 near2 complet\$3 near1 time with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:20
S26	1	("6112225").PN.	USPAT; USOCR	OR	OFF	2006/05/26 00:20
S27	1	("6298451").PN.	USPAT; USOCR	OR	OFF	2006/05/26 01:23
S28	31364	((request\$3 poll\$3) with results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:24

EAST Search History

S29	83	((request\$3 poll\$3) with results with predetermined near1 time) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:25
S30	13	((request\$3 poll\$3) with results with predetermined near1 time) and tasks and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:27
S31	330	(results with predetermined near1 time) and tasks and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:27
S32	1671	(results with over near4 time) and tasks and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:27
S33	79	(poll near1 results) and tasks and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:28
S34	2	(poll near1 result with tasks) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:28
S35	7	(poll near1 result same tasks) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:31
S36	146	(retriev\$5 near4 result same tasks) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:32

EAST Search History

S37	53	(retriev\$5 near4 results with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:38
S38	1	("6112225").PN.	USPAT; USOCR	OR	OFF	2006/05/26 01:45
S39	98	(acknowledg\$3 with complet\$ near1 receiv\$3)and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:45
S40	0	(task and manag\$3) with(automatic\$4 with request\$3 with results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:18
S41	741	(automatic\$4 with request\$3 with results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:18
S42	53	task with manag\$5 and (automatic\$4 with request\$3 with results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:18
S43	53	(tasks with manag\$5) and (automatic\$4 with request\$3 with results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:19
S44	5	(tasks with manag\$5).ab. and (automatic\$4 with request\$3 with results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:20
S45	1	(tasks with manag\$5).ab. and (automatic\$4 near1 request\$3 with results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:21

EAST Search History

S46	0	(automatic\$4 near1 request\$3 with tasks near2 results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:21
S47	1	(automatic\$4 near4 request\$3 with tasks near2 results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:24
S48	3	(automatic\$4 near4 retriev\$4 with tasks near2 results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:43
S49	1	("6,098,091").PN.	USPAT; USOCR	OR	OFF	2006/05/26 17:10
S50	3195	(time with (finish\$3 complet\$3) with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:42
S51	1	(time with (finish\$3 complet\$3) with task) with (reasons with fail\$3 with (finish\$3 complet\$3) with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:48
S52	1	(time with (finish\$3 complet\$3) with task) same (reasons with fail\$3 with (finish\$3 complet\$3) with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:48
S53	1	(time with (finish\$3 complet\$3) with task) and (reasons with fail\$3 with (finish\$3 complet\$3) with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:48
S54	400	(time with (finish\$3 complet\$3) with task) and ("why" fail\$3 with (finish\$3 complet\$3) with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:49

EAST Search History

S55	79	(time with (finish\$3 complet\$3) with task) same ("why" fail\$3 with (finish\$3 complet\$3) with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:49
S56	0	((specific\$3 adj2 time) with (finish\$3 complet\$3) with task) same ("why" fail\$3 with (finish\$3 complet\$3) with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:49
S57	3	((specific\$3 adj2 time) with (finish\$3 complet\$3) with task) and ("why" fail\$3 with (finish\$3 complet\$3) with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:54
S58	79	((time) with (finish\$3 complet\$3) with task) same ("why" fail\$3 with (finish\$3 complet\$3) with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:54
S59	69	((time) with (finish\$3 complet\$3) with task) with ("why" fail\$3 with (finish\$3 complet\$3) with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:54
S60	3	((time) with (finish\$3 complet\$3) with task) with ("why" fail\$3 with (finish\$3 complet\$3) with task)).ab. and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:56
S61	69	((time) with (finish\$3 complet\$3) with task) with ("why" fail\$3 with (finish\$3 complet\$3) with task))and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:56
S62	8	(task\$3 and resources).ab. and ((time) with (finish\$3 complet\$3) with task) with ("why" fail\$3 with (finish\$3 complet\$3) with task))and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:11

EAST Search History

S63	0	((determin\$5 near3 (time) with (finish\$3 complet\$3) with task) with ("why" fail\$3 with (finish\$3 complet\$3) with task))and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:12
S64	3	((determin\$5 near3 (time) with (finish\$3 complet\$3) with task) same ("why" fail\$3 with (finish\$3 complet\$3) with task))and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:24
S65	0	(report\$3 with reasons with fail\$3 with (finish\$3 complet\$3) with task)and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:24
S66	0	((report\$3 discloses) with reasons with fail\$3 with (finish\$3 complet\$3) with task)and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:25
S67	4	((reasons) with fail\$3 with (finish\$3 complet\$3) with task)and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:27
S68	20	((information) with fail\$3 with (finish\$3 complet\$3) with task)and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:27